Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8983	(709/202,203,206,230).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 14:38
L2	1714	(455/466,553,442).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 14:38
L3	2952	(370/352).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 14:38
L5	13536	1 2 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:39
L6	547	(709/207).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 14:39
L7	13817	5 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:40
L8	6760	7 and (@ad<"20000128" @rlad<"20000128")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:40
L9	80	8 and (Java with plug)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:41
L10	12	((plug$ API runtime) near3 (ftp)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:00
L11	1	((plug$ API runtime) near3 (gprs)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:01
L12	16	((plug$ API runtime) near3 (im)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:01
L13	7	((plug$ API runtime) near3 (ppp)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:01

S1	78	bunjob.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/25 14:04
S2	19	("5421031" | "5532735" | "5604731" | "5606359" | "5610653" | "5640194" | "5694334" | "5701582" | "5751336" | "5752160" | "5793412" | "5815491" | "5845279" | "5850218" | "5884141" | "5899582" | "6018539" | "6115786" | "6122662").PN.	USPAT	OR	ON	2004/08/25 14:05
S3	1335	709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 11:18
S4	26	(plug near3 protocol) same (mobile wireless portable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:25
S5	8	(plug near3 protocol) same JAVA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 14:02
S6	76	bunjob.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 11:12
S7	255	java near3 plug	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 10:06
S8	39	(java near3 plug) and (transport adj protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:15
S9	263	plug near3 protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 10:34
S10	283	709/321.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 10:39
S11	48	HTTP and SSL and TCP and UDP and WAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 11:13
S12	12	(HTTP and SSL and TCP and UDP and WAP) and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 11:23
S13	21385	Java runtime (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 11:24

S14	1	(HTTP and SSL and TCP and UDP and WAP) and ((Java runtime (virtual adj machine)) same (transport near3 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 11:25
S15	217	(Java runtime (virtual adj machine)) same (transport near3 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 11:26
S16	77	((Java runtime (virtual adj machine)) same (transport near3 protocol)) and (@ad<"20000128" @rlad<"20000128")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:40
S17	4	java near3 (transport adj protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 12:33
S18	479	(translat$3 convert$3) near3 JAVA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 13:09
S19	479	(translat$3 convert$3) near3 (JAVA (non adj JAVA))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 12:26
S20	4	(translat$3 convert$3) near3 (non adj JAVA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 13:40
S21	1349	java near3 client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 13:08
S22	479	((translat$3 convert$3) near3 (JAVA (non adj JAVA))) same (java nar3 (thin adj client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 13:10
S23	44	java near3 (thin adj client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 13:41
S24	1	((translat$3 convert$3) near3 (JAVA (non adj JAVA))) same (thin adj client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 13:41
S25	1	((translat$3 convert$3) near3 JAVA) same (thin adj client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 13:42
S26	211	709/206.ccls. and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 13:42

S27	778	709/206.ccls. and (@ad<"20000128" @rlad<"20000128")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 14:02
S28	242446	"211" and (@ad<"20000128" @rlad<"20000128")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 13:44
S29	112	(709/206.ccls. and java) and (@ad<"20000128" @rlad<"20000128")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 13:50
S30	92	((709/206.ccls. and java) and (@ad<"20000128" @rlad<"20000128")) and format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 13:51
S31	39	((709/206.ccls. and java) and (@ad<"20000128" @rlad<"20000128")) and (message near3 format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 13:51
S32	282	709/207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 14:01
S33	33	709/207.ccls. and JAVA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 14:02
S34	19	(709/207.ccls. and JAVA) and (@ad<"20000128" @rlad<"20000128")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/07 14:02
S35	2	((plug adj in) plugin) near3 (htpp tcpudp wap dab gsm gprs sms irda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 12:12
S36	17	((plug adj in) plugin) near3 (http tcpudp wap dab gsm gprs sms irda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:14
S37	6	(((plug adj in) plugin) near3 (http tcpudp wap dab gsm gprs sms irda)) same java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 12:22
S38	6	(((plug adj in) plugin) near3 (http tcp udp wap dab gsm gprs sms irda)) same java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 12:24
S39	22960	(message content provider) neaR3 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 12:24

S40	2474	(http tcp udp wap dab gsm gprs sms irda) same java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 12:24
S41	136	((message content provider) neaR3 server) same ((http tcp udp wap dab gsm gprs sms irda) same java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 12:25
S42	2	(translat$3 convert$3) near3 (JAVA (non adj JAVA)) and (((message content provider) neaR3 server) same ((http tcp udp wap dab gsm gprs sms irda) same java))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 12:29
S43	7825	server near3 (TCP HTTP WAP UDP DAB GSM Gprs sms irda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/22 16:09
S44	22	(server near3 (TCP HTTP WAP UDP DAB GSM Gprs sms irda)) with ((JAVA adj client) (thine adj client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/22 16:10
S45	4	((server near3 (TCP HTTP WAP UDP DAB GSM Gprs sms irda)) with ((JAVA adj client) (thine adj client))) and ((plug adj in) (pluggable near3 adapter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/22 16:12
S46	154	java and (non adj java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/22 16:13
S47	21	(java and (non adj java)) and (transport adj protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/22 16:20
S48	19	((java and (non adj java)) and (transport adj protocol)) and (conver$4 translat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/22 16:21
S49	5	(((java and (non adj java)) and (transport adj protocol)) and (conver$4 translat$3)) and (@ad<"20000728" @rlad<"20000128")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:37
S50	1	("6473759").PN.	USPAT; USOCR	OR	OFF	2003/05/26 13:59
S51	450300	plugable (plug adj in) plug	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:17
S52	77	bunjob.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 14:07

S53	13	bunjob.xa. and JAVA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 14:02
S54	16016	JAVA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 14:07
S55	849	(plugable (plug adj in) plug) same JAVA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 14:07
S56	28	((plugable (plug adj in) plug) same JAVA) same conver$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 14:17
S57	44961	messag$3 near3 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 14:19
S58	10832	(multi$3 plural$4) near3 transport	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 14:20
S59	35	((multi$3 plural$4) near3 transport) same (messag$3 near3 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 14:20
S60	4	(((multi$3 plural$4) near3 transport) same (messag$3 near3 system)) and JAVA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 15:18
S61	2	"6343287".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 15:18
S62	1	"6343287".pn. and transport adj protocols	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 15:20
S63	1	("6343287".pn. and transport adj protocols) and tcp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 15:21
S64	1	(("6343287".pn. and transport adj protocols) and tcp) and messag$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 15:21
S65	1	((("6343287".pn. and transport adj protocols) and tcp) and messag$3) and plug	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 15:28

S66	1	(((("6343287".pn. and transport adj protocls) and tcp) and messag$3) and plug) and JAVA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/26 15:28
S67	1253	plug$ near3 (transport protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 10:50
S68	49012	(message information content) near3 (publish$3 subscrib$3 push$3 pull$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 10:51
S69	10	(plug$ near3 (transport protocol)) same ((message information content) near3 (publish$3 subscrib$3 push$3 pull$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 10:52
S70	822	709/206.ccls. and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:14
S71	1210	709/223.ccls. and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:14
S72	493	709/231.ccls. and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:14
S73	223	709/207.ccls. and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:18
S74	57	((plug adj in) plugin) near3 (http tcp udp wap dab gsm gprs sms irda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:15
S75	46	(plug near3 protocol) same (mobile wireless portable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:15
S76	81	(java near3 plug) and (transport adj protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:15
S77	18022	plug$4 near3 (prototocl transport http udp tcp wap dap gsm mobile portable modul$3 wireless sma irda java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:18
S78	26	(((plug adj in) plugin) near3 (http tcp udp wap dab gsm gprs sms irda)) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:19

S79	2	((plug near3 protocol) same (mobile wireless portable)) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:19
S80	11	((java near3 plug) and (transport adj protocol)) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:21
S81	80	(plug$4 near3 (prototocl transport http udp tcp wap dap gsm mobile portable modul$3 wireless sma irda java)) and ((709/206.ccls. and (@AD<"19990517" @rlad<"19990517")) (709/223.ccls. and (@AD<"19990517" @rlad<"19990517")) (709/231.ccls. and (@AD<"19990517" @rlad<"19990517")) (709/207.ccls. and (@AD<"19990517" @rlad<"19990517"))) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:19
S82	111	((((plug adj in) plugin) near3 (http tcp udp wap dab gsm gprs sms irda)) and (@AD<"19990517" @rlad<"19990517")) (((plug near3 protocol) same (mobile wireless portable)) and (@AD<"19990517" @rlad<"19990517")) (((java near3 plug) and (transport adj protocol)) and (@AD<"19990517" @rlad<"19990517")) ((plug$4 near3 (prototocl transport http udp tcp wap dap gsm mobile portable modul$3 wireless sma irda java)) and ((709/206.ccls. and (@AD<"19990517" @rlad<"19990517")) (709/223.ccls. and (@AD<"19990517" @rlad<"19990517")) (709/231.ccls. and (@AD<"19990517" @rlad<"19990517")) (709/207.ccls. and (@AD<"19990517" @rlad<"19990517"))) and (@AD<"19990517" @rlad<"19990517"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:20
S83	97	(((((plug adj in) plugin) near3 (http tcp udp wap dab gsm gprs sms irda)) and (@AD<"19990517" @rlad<"19990517")) (((plug near3 protocol) same (mobile wireless portable)) and (@AD<"19990517" @rlad<"19990517")) (((java near3 plug) and (transport adj protocol)) and (@AD<"19990517" @rlad<"19990517")) ((plug$4 near3 (prototocl transport http udp tcp wap dap gsm mobile portable modul$3 wireless sma irda java)) and ((709/206.ccls. and (@AD<"19990517" @rlad<"19990517")) (709/223.ccls. and (@AD<"19990517" @rlad<"19990517")) (709/231.ccls. and (@AD<"19990517" @rlad<"19990517")) (709/207.ccls. and (@AD<"19990517" @rlad<"19990517"))) and (@AD<"19990517" @rlad<"19990517"))) and messag$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:21
S84	1221	plug$4 near3 (transport protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:19
S85	1137917	(Java near3 class) dispatch frag fifo nak reach ipmcast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:17
S86	34	(plug$4 near3 (transport protocol)) same ((Java near3 class) dispatch frag fifo nak reach ipmcast)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:16
S87	22	((plug$4 near3 (transport protocol)) same ((Java near3 class) dispatch frag fifo nak reach ipmcast)) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:20

S88	3649	Java near3 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:16
S89	1221	(plug$4 near3 (transport protocol)) same51 same ((Java near3 class) dispatch frag fifo nak reach ipmcast)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:16
S90	1	(plug$4 near3 (transport protocol)) same (Java near3 class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:16
S91	0	(plug$4 near3 (transport protocol)) same frag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:17
S92	3	(plug$4 near3 (transport protocol)) same dispatch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:19
S93	1	(plug$4 near3 (transport protocol)) same fifo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:19
S94	0	(plug$4 near3 (transport protocol)) same nak	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:19
S95	29	(plug$4 near3 (transport protocol)) same reach	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:20
S96	0	(plug$4 near3 (transport protocol)) same ipmcast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:20
S97	22	((plug$4 near3 (transport protocol)) same reach) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:20
S98	0	((java near3 plug$4) with (protocol)) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:21
S99	7	((java near3 plug$4) same (protocol)) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:24
S100	707	(plug$4 with (protocol)) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:26

S10 1	330	((plug$4 with (protocol)) and (@AD<"19990517" @rlad<"19990517")) and (mobile wireless portable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:26
S10 2	193	(plug$4 with protocol) same (mobile wireless portable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:26
S10 3	71	((plug$4 with protocol) same (mobile wireless portable)) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:53
S10 4	6	(((java and (non adj java)) and (transport adj protocol)) and (conver$4 translat$3)) and (@ad<"20000728" @rlad<"20000128")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:37
S10 5	118	((Java runtime (virtual adj machine)) same (transport near3 protocol)) and (@ad<"20000128" @rlad<"20000128")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:39
S10 6	59	((Java runtime (virtual adj machine)) same (transport near3 protocol)) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:50
S10 7	179036	http udp ssl tcp wap dab gsm gprs sms irda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:49
S10 8	8221	plugable (plug$3 adj in) (plug$3 adj3 play)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:49
S10 9	257	(http udp ssl tcp wap dab gsm gprs sms irda) with (plugable (plug$3 adj in) (plug$3 adj3 play))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:50
S11 0	1183653	((Java runtime (virtual adj machine) JVM JSM JINI jndi api rpc frag fifo nak dispatch reach ipmcast))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:52
S11 1	32	((http udp ssl tcp wap dab gsm gprs sms irda) with (plugable (plug$3 adj in) (plug$3 adj3 play))) same (((Java runtime (virtual adj machine) JVM JSM JINI jndi api rpc frag fifo nak dispatch reach ipmcast)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 07:52
S11 2	14	(((http udp ssl tcp wap dab gsm gprs sms irda) with (plugable (plug$3 adj in) (plug$3 adj3 play))) same (((Java runtime (virtual adj machine) JVM JSM JINI jndi api rpc frag fifo nak dispatch reach ipmcast)))) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 08:01
S11 3	283	jms with (HTTP SMS UMTS DAP WAP GPRS UDP TCP SSL irda wireless GSM transport protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 08:05

S11 4	89	(jms with (HTTP SMS UMTS DAP WAP GPRS UDP TCP SSL irda wireless GSM transport protocol)) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 08:03
S11 5	283	"jms" with (HTTP SMS UMTS DAP WAP GPRS UDP TCP SSL irda wireless GSM transport protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 08:03
S11 6	89	((jms with (HTTP SMS UMTS DAP WAP GPRS UDP TCP SSL irda wireless GSM transport protocol)) and (@AD<"19990517" @rlad<"19990517")) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 08:05
S11 7	179	"jms" with (HTTP SMS UMTS DAP WAP GPRS UDP TCP SSL irda wireless GSM transport)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 08:03
S11 8	38	("jms" with (HTTP SMS UMTS DAP WAP GPRS UDP TCP SSL irda wireless GSM transport)) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 08:03
S11 9	120	(Java adj messag$3) with (HTTP SMS UMTS DAP WAP GPRS UDP TCP SSL irda wireless GSM transport protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 08:05
S12 0	1	((Java adj messag$3) with (HTTP SMS UMTS DAP WAP GPRS UDP TCP SSL irda wireless GSM transport protocol)) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 08:51
S12 1	2	"6343287".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 08:57
S12 2	5	("5692175" | "5734887" | "5787412" | "5832506" | "5838970").PN.	USPAT	OR	ON	2004/08/09 08:53
S12 3	10	"6343287".URPN.	USPAT	OR	ON	2004/08/09 08:54
S12 4	122	"MAFFEIS, SILVANO".in. "HAAS, THOMAS".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 08:58
S12 5	363	ibus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 12:41
S12 6	5	ibus and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 12:42
S12 7	100	ibus and publish$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 12:43

S12 8	85	(ibus and publish$3) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 12:43
S12 9	117	(http tcp udp ssl dab wap gsm gprs irda sms) near5 (runtime (run adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 15:14
S13 0	12	((http tcp udp ssl dab wap gsm gprs irda sms) near5 (runtime (run adj time))) same messag$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 15:15
S13 1	0	plugable near3 transport adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:16
S13 2	13	plug$ near3 transport adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:14
S13 3	561	plug$ near3 protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:09
S13 4	11	(plug$ near3 transport adj protocol) with messag$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:09
S13 5	37	(plug$ near3 protocol) with messag$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:15
S13 6	18	((plug$ near3 protocol) with messag$3) and (@AD<"20000517" @rlad<"20000517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:11
S13 7	0	((plug$ near3 protocol) with messag$3) and (@AD<"1999517" @rlad<"1999517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:11
S13 8	0	(plug$ near3 protocol) and (@AD<"1999517" @rlad<"1999517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:11
S13 9	4	((plug$ near3 protocol) with messag$3) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:13
S14 0	222	(plug$ near3 protocol) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:15

S14 1	127	plug$ near3 HTTP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:15
S14 2	7	(plug$ near3 HTTP) same messag$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:15
S14 3	1	((plug$ near3 HTTP) same messag$3) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:16
S14 4	41	API near3 transport adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:19
S14 5	2	(API near3 transport adj protocol) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:20
S14 6	439	API near3 ((transport adj protocol) HTTP SSL TCP DAB WAP GSM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:20
S14 7	135	(API near3 ((transport adj protocol) HTTP SSL TCP DAB WAP GSM)) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:22
S14 8	0	[plug$ near3 tcp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:22
S14 9	55	plug$ near3 tcp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:25
S15 0	27	(plug$ near3 tcp) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:26
S15 1	127	plug$ near3 HTTP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:25
S15 2	42	(plug$ near3 HTTP) and (@AD<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 09:26
S15 3	3484	(remov$3 delet$3 eras$3) near3 (expir$5 (time adj out) obsolet$3 outdat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 08:59

S15 4	944	((remov$3 delet$3 eras$3) near3 (expir$5 (time adj out) obsolet$3 outdat$3)) with (data content information file media video audio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 09:06
S15 5	7	(((remov$3 delet$3 eras$3) near3 (expir$5 (time adj out) obsolet$3 outdat$3)) with (data content information file media video audio)) same ((dedicat$ specif$5 designat$5) near3 (portion location position sector segment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 09:03
S15 6	18	((remov$3 delet$3 eras$3) near3 (expir$5 (time adj out) obsolet$3 outdat$3)) same ((dedicat$ specif$5 designat$5) near3 (portion location position sector segment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 09:03
S15 7	200	(((remov$3 delet$3 eras$3) near3 (expir$5 (time adj out) obsolet$3 outdat$3)) with (data content information file media video audio)) and (@ad<"2000021" @rlad<"20000921")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 09:08
S15 8	419	(((remov$3 delet$3 eras$3) near3 (expir$5 (time adj out) obsolet$3 outdat$3)) with (data content information file media video audio)) and (multimedia video audio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 09:08
S15 9	31	(((remov$3 delet$3 eras$3) near3 (expir$5 (time adj out) obsolet$3 outdat$3)) with (data content information file media video audio)) same (multimedia video audio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 09:08
S16 0	14	((((remov$3 delet$3 eras$3) near3 (expir$5 (time adj out) obsolet$3 outdat$3)) with (data content information file media video audio)) same (multimedia video audio)) and (@ad<"2000021" @rlad<"20000921")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 09:08
S16 1	1665	(runtime JAVA JVM JSM) near5 (prototcol http tcp udp wap gsm irda serial sms dap atm wireless gprs ssl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 11:58
S16 2	169	((runtime JAVA JVM JSM) near5 (prototcol http tcp udp wap gsm irda serial sms dap atm wireless gprs ssl)) same (plug api)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 11:23
S16 3	34	(((runtime JAVA JVM JSM) near5 (prototcol http tcp udp wap gsm irda serial sms dap atm wireless gprs ssl)) same (plug api)) same messag$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 11:21
S16 4	10	((((runtime JAVA JVM JSM) near5 (prototcol http tcp udp wap gsm irda serial sms dap atm wireless gprs ssl)) same (plug api)) same messag$3) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 11:45
S16 5	182	((runtime JAVA JVM JSM) near5 (prototcol http tcp udp wap gsm irda serial sms dap atm wireless gprs ssl)) same (subscrib$ publish$ point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 11:58
S16 6	50	(((runtime JAVA JVM JSM) near5 (prototcol http tcp udp wap gsm irda serial sms dap atm wireless gprs ssl)) same (subscrib$ publish$ point)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:01

S16 7	5647	(plug$ API runtime) near5 (protocol http tcp udp wap gsm irda serial sms dap atm wireless gprs ssl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:06
S16 8	20241	messag$3 with (subscrib$ publish$ (point adj point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:04
S16 9	45	((plug$ API runtime) near5 (protocol http tcp udp wap gsm irda serial sms dap atm wireless gprs ssl)) same (messag$3 with (subscrib$ publish$ (point adj point)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:04
S17 0	7	(((plug$ API runtime) near5 (protocol http tcp udp wap gsm irda serial sms dap atm wireless gprs ssl)) same (messag$3 with (subscrib$ publish$ (point adj point)))) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:07
S17 1	4528	(plug$ API runtime) with protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:07
S17 2	159	(plug$ API runtime) with (transport adj protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:26
S17 3	50	((plug$ API runtime) with (transport adj protocol)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:26
S17 4	1294	(plug$ API runtime) with (http)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:31
S17 5	373	((plug$ API runtime) with (http)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:31
S17 6	353	(plug$ API runtime) near3 (http)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:44
S17 7	85	((plug$ API runtime) near3 (http)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:52
S17 8	223	(plug$ API runtime) near3 (tcp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:44
S17 9	32	(plug$ API runtime) near3 (udp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:45

S18 0	12	(plug$ API runtime) near3 (wap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:50
S18 1	4	(plug$ API runtime) near3 (gam)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:50
S18 2	1	(plug$ API runtime) near3 (irda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:50
S18 3	36	(plug$ API runtime) near3 (ftp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:51
S18 4	714	(plug$ API runtime) near3 (slip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:51
S18 5	15	(plug$ API runtime) near3 (ppp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:51
S18 6	89	(plug$ API runtime) near3 (sms)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:51
S18 7	52	(plug$ API runtime) near3 (im)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:51
S18 8	1	(plug$ API runtime) near3 (irda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:52
S18 9	35	(plug$ API runtime) near3 (ssl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:52
S19 0	35992	(plug$ API runtime) near3 (socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:52
S19 1	108	((plug$ API runtime) near3 (tcp)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:52
S19 2	15	((plug$ API runtime) near3 (udp)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:52

S19 3	1	((plug$ API runtime) near3 (wap)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:53
S19 4	4	((plug$ API runtime) near3 (gam)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:53
S19 5	0	((plug$ API runtime) near3 (irda)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:53
S19 6	558	((plug$ API runtime) near3 (slip)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:53
S19 7	56	((plug$ API runtime) near3 (sms)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:53
S19 8	0	((plug$ API runtime) near3 (irda)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:54
S19 9	25527	((plug$ API runtime) near3 (socket)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:55
S20 0	7	(plug$ API runtime) near3 (gprs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 12:55
S20 1	1	((plug$ API runtime) near3 (gprs)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:01
S20 2	7	((plug$ API runtime) near3 (ssl)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 13:13
S20 3	16	((plug$ API runtime) near3 (im)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:01
S20 4	7	((plug$ API runtime) near3 (ppp)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:01
S20 5	12	((plug$ API runtime) near3 (ftp)) and (@ad<"19990517" @rlad<"19990517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:00